

High-end DECT telephone for DECT400 system

elmeg DECT Handset 400-40

- Graphical, illuminated, 3-line display
- Space for up to 65 of your own telephone directory entries
- CLIP, redialing of the last 10 numbers
- ICT system telephony (e.g. central phone book, follow me)
- Optical call signaling by LED, system parked inquiry button
- IP54-protection (against dust and splash water)
- · Headset jack, vibration alarm



elmeg DECT Handset 400-40

High-end DECT telephone for DECT400 system

The high-end DECT 400-40 handset has been perfectly matched to the elmeg DECT400 system. The ergonomic design and elegant appearance guarantee exceptional usability and easy access to features.

Product description

The mobile unit for elmeg DECT handset 400-20 reflects the latest state of the art: The ergonomic design and elegant exterior guarantee optimal ease of use, with a clearly laid out overview of functions. Making calls is a delight with the incoming caller ID function (CLIP), plain-language menu navigation and automatic accepting of calls.

The memory provides space for up to 65 of your own telephone directory entries and redialing of the last 10 numbers. A powerful battery packs a charge for up to 16 hours of talk time and 150 hours standby operation.

Thanks to its three-line graphic display, signaling LED and mute function, this mobile unit satisfy all the needs of even the most demanding user.

The elmeg DECT handset 400-40 is a high-end version that offers such additional functions as vibration alarm, headset jack and dust/splash protection in accordance with IP54.

The device is suitable for the elmeg DECT400 system – automatic handover when moving between radio cells is an integral component of this system and ensures permanent access and maximum telephoning mobility.

Numerous accessories, such as leather case, belt clip, etc. are also available.



The mobile unit for elmeg DECT300 and elmeg DECT400 systems

Handset:

- Alphanumeric graphics display: 3 lines, 12 characters each, 1 line for pictographs
- Illuminated display
- Telephone directory for 65 entries including names
- Number display (CLIP) including name
- Optical call signaling by LED
- Automatic accepting of calls
- System parked inquiriy button
- Automatic key lock
- Caller list with 10 entries
- Color: Black with a black keyboard

bintec elmeg GmbH - Suedwestpark 94 - 90449 Nuremberg - Germany Phone: +49 - 911 9673-0 - Telefax: +49 - 911 688 07 25 E-Mail: info@bintec-elmeg.com - www.bintec-elmeg.com



- Headset socket
- Vibration alarm
- IP54-protection (against dust and splash water)
- Color: Silver/black with a black keyboard

Scope of supply

- Battery pack
- Charger
- Power supply

Accessories

- Battery pack
- Belt clip
- Leather case

Variants

elmeg DECT handset 400-40 (3667346)	DECT handset, silver-black, alphanumerical, 4-line graphics display, integr.
	vibration alarm and display illumination, head set connector, hands-free, IP54.
	Scope of supply: handset, charger unit, power supply

Accessoires

Accessories for DECT400 and IP Systems	
elmeg DECT akku (3666891)	Akku for elmeg DECT handset, handset 400-20, handset 400-40
elmeg DECT belt clip 400-20/40 (3667384)	Belt clip for elmeg DECT handset 400-20 and elmeg DECT handset 400-40
elmeg DECT leather bag 400-xx (3667379)	Leather case for elmeg DECT handset 400-20 and elmeg DECT handset 400-40

bintec elmeg GmbH - Suedwestpark 94 - 90449 Nuremberg - Germany Phone: +49 - 911 9673-0 - Telefax: +49 - 911 688 07 25 E-Mail: info@bintec-elmeg.com - www.bintec-elmeg.com